

Fresh food, guaranteed.

2016 PRODUCT CATALOGUE

Fresher for longer.

With over 60 years of experience in the commercial kitchen and food service industry Hoshizaki has become a name synonymous with quality and innovation. Our wide range of products are designed to suit any fast-paced commercial kitchen need with superior performance and reliability. All refrigeration products come with a 2 year warranty, cleanable air filters and made from top quality materials that will keep your kitchen humming and your food fresher, for longer.







2 Year warranty on all refrigeration products.

Easy access to air filters for reduced maintenance.

Stainless steel for easy cleaning and longevity.



About Hoshizaki

Founded in 1947 in Nagoya, Japan, Hoshizaki has grown into a global company delivering reliable, innovative commercial products to the world. Our fresh approach to solving commercial needs has resulted in us designing and developing some of the world's most revered ice machines and after all these years continue to strive to develop sustainable products which stand the test of time and stresses of any kitchen.

Our Range

With over 40 products available In Australia we're able to suit any commercial kitchen need. From upright fridges, freezers and counter top solutions to our space saving Pillar Less range, reliability comes as standard.




a

Packed with all the features you'd expect from the Professional series our upright refrigerators and freezers are available as single or double door and feature a full stainless steel construction, Gastronorm specifications, lockable heavy duty castors and off-cycle defrost.

Professional SERIES

1

Powered by energy efficient DC fans our reliable, cost effective and easy to and freezers are available in upright, They're built tough for Australian kitchen conditions (HACCP rated to 43°C) and





SHIZ

Removable door gaskets for easy and quick cleaning without the need for tools.



adjustable

Less range.

Smart hygienic Versatile storage solutions with design with rounded edges shelves and and stainless steel innovative Pillar materials for easy cleaning.





temperatures via the **digital** controller. Cover protects against accidental adjustment or

damage.



refrigeration unit gives easy service access for quick maintenance.

HRE-70B/HFE-70B

1

10

HRE-140B/HFE-140B

	HRE-70B REFRIGERATOR	HFE-70B FREEZER	HRE-140B REFRIGERATOR	HFE-14OB FREEZER			
Part Number	97000001	9700003	97000002	9700004			
Capacity	631L AI	PPROX.	1379L APPROX.	1372L APPROX.			
Dimensions (w x d x h)	700X85	50X2015	1400X8	50X2015			
Packed Dimensions	750X94	ł0X2100	1450X9	40X2100			
Weight	116КG,	/131КG	164кG/189кG	174КG/199КG			
AC Supply Voltage		220-240V / 5	50HZ / 10АМР				
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER			
Temperature Control	ADJUSTABLE 0°C-16°C	ADJUSTABLE -25°C-7°C	ADJUSTABLE 0°C-16°C	ADJUSTABLE -25°C-7°C			
Operating Ambient Temp		5°C-43°C					
Refrigerant	R134A	R404A	R134A	R404A			
DC Evaporator Fans	YES	YES	YES	YES			
Evaporator Drain Pan		STAINLESS	STEEL 170W				
Exterior	430	430 GRADE STAINLESS STEEL, GALVANISED REAR & BOTTOM					
Interior		STAINLES	SS STEEL				
Door/Shelves**	1 DOOR /	4 SHELVES	2DOOR /	8 SHELVES			

Suitable for kitchens that wish to maximise food preparation area stainless steel counter refrigerators and freezers are a perfect option.



FEATURES

- Stainless steel surfaces allows the worktop to double up as a food preparation area. Perfect for space restricted commercial environments.
- Easy access to compressor assembly for easy maintenance
- Energy efficient DC fan (80% more energy efficient than AC fan) considerably reduces amount of energy consumed by the machine reducing its impact on both the environment and your finances.

	RTE-120SDA-GN REFRIGERATOR	FTE-120SDA-GN	RTE-170SDA-GN REFRIGERATOR	FTE-170SDA-GN FREEZER			
Part Number	9700007	97000005	9700008	9700006			
Capacity	265L A	PPROX.	412L A	PPROX.			
Dimensions (w x d x h)	1200 x 7	00 x 815	1660 x 7	00 x 815			
Packed Dimensions	1265 x 7	80 x 850	1725 x 7	80 x 850			
Weight Net/Gross	83кG/93кG	87кG/97кG	103KG/115KG	109KG/121KG			
AC Supply Voltage		220-240V / !	50HZ / 10AMP				
Defrost System		GLASS TU	BE HEATER				
Adjustable Temperature	-6°C TO 12°C	-25°C TO -7°C	-6°C TO 12°C	-25°C TO -7°C			
Operating Ambient Temp		5°C T(O 43℃				
Refrigerant	R134A	R404A	R134A	R404A			
DC Evaporator Fans	YES	YES	YES	YES			
Evaporator Drain Pan		STAINLESS	STEEL 170W				
Exterior	430 GF	430 GRADE STAINLESS STEEL, GALVANISED REAR AND BASE PANEL					
Interior	STAINLESS STEEL, ABS PLASTIC						
Door/Shelves**	2 DOOR /	2 SHELVES	3 DOOR / 3 SHELVES				

Giving you quicker access to regularly used items with dedicated drawers our drawer range is suitable for kitchens that replenishes its produce often while their low height maximises space.

FEATURES

• Stainless steel

RTL-140DDAC/FTL-140DDAC

- Forced air circulation refrigeration system
- Automatic defrost
- Auto closing drawers
- 4 and 6 drawer options

	RTL-140DDAC REFRIGERATOR	FTL-140DDAC FREEZER	RTL-182DDAC REFRIGERATOR	FTL-182DDAC FREEZER		
Part Number	97000035	97000019	97000037	97000048		
Capacity	176L AI	PPROX.	267L A	PPROX.		
Dimensions (w x d x h)	1400 x 7	50 x 570	1820 x 7	50 x 570		
Packed Dimensions	1465 x 8	30 x 560	1885 x 8	30 x 560		
Weight	93кG/102кG	99кG/108кG	118KG/130KG	124кG/136кG		
AC Supply Voltage		220-240	v / 50HZ			
Defrost System		HEA	TER			
Temperature Control	-6°C TO 12°C	-6°C TO 12°C -23°C TO -7°C -6°C TO 12°C		-23°C TO -7°C		
Operating Ambient Temp		5°C T(D 38℃			
Refrigerant	R134A	R404A	R134A	R404A		
Legs/Castors		Castors (add 5	0mm to height)			
Evaporator Drain Pan		FIN & TU	ЈВЕ ТҮРЕ			
Exterior	STAINLESS STEEL DOORS & FRONT, GALVANISED REAR & BOTTOM					
Interior	PRE-COATED STEEL, STAINLESS STEEL DOORS					
Drawers						



RTL-182DDAC/FTL-182DDAC

DRAWER



Refrigeration Reimagined

The Pillar Less range builds on the technology and innovation of the Professional Series to create space-saving solutions which maximise capacity and usefulness.



Removable door gaskets for easy cleaning without the need for tools.

Easy access to removable air filter for quick servicing.

Smart hygienic design with rounded edges and stainless steel materials for easy cleaning.

Pillar Less

RANGE

Simple digital alerts for reminders like to clean air filters.

0 0-50






Pillar Less design for larger storage and convenient



easy and reliable access. manoeuvrability.



Heavy duty Self closing doors caster options for



Gastronome

option available



Easy access points make it convenient for servicing.



PILLAR LESS COUNTER

The diverse options range from single, double or split doors make this range perfect for any commercial kitchen need but especially for restaurants who produce or need to store the largest of dishes. With no centre pillar you can use trays and containers of varying sizes.



	HRE-127B-ML REFRIGERATOR	HFE-127B-ML FREEZER	HRE-147B-ML REFRIGERATOR	HFE-147B-ML FREEZER	HRE-187B-ML REFRIGERATOR	HFE-187B-ML FREEZER	
Part Number	97000105	97000112	97000106	97000113	97000107	97000114	
Capacity	1109L	1110L	1311L	1304L	1720L	1713L	
Dimensions (w x d x h)	1200X80	0X2050	1400x80	0X2050	1800X80	1800X800X2050	
Packed Dimensions	1260X90	0X2075	1460X90	00X2075	1860X90	00X2075	
Legs			150-180 AC	JUSTABLE			
AC Supply Voltage			220-240	v / 50HZ			
Weight	132KG/158KG	140кG/168кG	152KG/177KG	162кG/187кG	203кG/250кG	213кG/260кG	
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER	
Temperature Control	-6°C TO 12°C	-25°C TO 7°C	-6°C TO 12°C	-25°C TO 7°C	-6°C TO 12°C	-25°C TO 7°C	
Operating Ambient Temp	5°C TO 43°C						
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A	
DC Evaporator Fans		YES					
Evaporator Drain Pan	FIN & TUBE TYPE						
Exterior	SUS 304 & SUS 430 GALVANISED STEEL REAR & BOTTOM						
Interior	SUS 304 & SUS 430 GALVANISED STEEL REAR & BOTTOM						
Door/Shelves**	4 DOOR	/ 8 PCS	4 DOOR	/ 8 PCS	6 DOOR	/ 12 PCS	

The Pillar Less range of refrigerator and freezers configured as counters are suitable for kitchens that wish to maximise both food preparation area and storage.



The counter models are designed with the slimmest compressor compartment in its class, saving up to 20% of space allowing the user more storage space and less floor space. The worktop can be used as a food preparation area with all models having a resilient stainless steel finish.

RTC-120 SNA-ML FTC-120 SNA-ML RTC-150SNA-ML FTC-150 SNA-ML RTC-180SNA-ML FTC-180 SNA-ML

	REFRIGERATOR	FREEZER	REFRIGERATOR	FREEZER	REFRIGERATOR	FREEZER	
Part Number	97000108	97000110	97000048	97000059	97000109	97000111	
Capacity	22	8L	31	3L	39	98L	
Dimensions (w x d x h)	1200 x 6	00 x 800	1500 x 6	00 x 800	1800 x 6	1800 x 600 x 800	
Packed Dimensions	1265 x 6	80 x 790	1565 x 6	80 x 790	1865 x 6	80 x 790	
Legs			150-180 AC	JUSTABLE			
AC Supply Voltage			220-240	v / 50HZ			
Weight	78кG/83кG	84кG/89кG	93кG/98кG	95KG/100KG	108кG/114кG	111кG/117кG	
Defrost System			MICROPROCESS				
Temperature Control	-6°C TO 12°C	-6°C TO 12°C -25°C TO 7°C -6°C TO 12°C -25°C TO 7°C -6°C TO 12°C -25°C T				-25°C TO 7°C	
Operating Ambient		5°C TO 43°C					
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A	
DC Evaporator Fans		FIN & TUBE TYPE					
Evaporator Drain Pan	FIN & TUBE TYPE						
Exterior	STAINLESS STEEL, GALVANISED STEEL REAR/BOTTOM						
Interior	STAINLESS STEEL, ABS PLASTIC						
Door/Shelves**	2 DOOR	/ 2 PCS	2 DOOR	/ 2 PCS	3 DOOR	/ 3 PCS	

Commercial SERIES

The Hoshizaki Commercial series of refrigeration and freezers are chefs choice for back of house food storage and preparation. All products are designed for kitchen professionals who demand a reliable cost effective and easy to maintain product.

The Hoshizaki Commercial series of refrigerators and freezers are unsurpassed when it comes to reliability and value for money, improving on the Professional range by adding useful features, such as full height door handles required in fast paced kitchen environments.

The high operating ambient temperature (43°C for upright cabinets & 38°C for counter cabinets) are perfect for Australian conditions and

ensures that the Commercial series meet your demands in all conditions.

The Commercial series offer many features including:

- Split ½ doors for the upright Refrigeration and Freezers.
- Food service size internal shelving systems that allow full interior usage.
- · Full height door handles for easier access.
- Self closing doors.
- Fully programmable digital controller.
- HACCP approved.
- Available in a variety of sizes and styles to suit all needs, these cabinets are designed for everyday.



Removable

door gaskets for

easy and quick

cleaning without

the need for tools.

-



solutions with

adjustable

shelves and

innovative Pillar

Less range.

-





cleaning.





Easy servicing slide out









Full height door handles for quick and easy access.

Self closing doors.

with a compact refrigeration unit gives easy service access for auick maintenance.

damage.

adjustment or

Fully digital temperature controls.



UPRIGHT

COUNTER

Packed with all the features you'd expect from the Professional series our upright refrigerators and freezers are available as single or double door and feature a full stainless steel construction, Gastronorm specifications, lockable heavy duty castors and off-cycle defrost.



	HRE-77MA REFRIGERATOR	HFE-77MA FREEZER	HRE-127MA REFRIGERATOR	HFE-127MA FREEZER	HRE-187MA REFRIGERATOR	HFE-187MA FREEZER	
Part Number	97000030	97000130	97000031	97000131	97000033	97000133	
Capacity	546L	546L	1080L	1070L	1600L	1600L	
Dimensions (w x d x h)	700 x 80	0 x 2015	1200 x 80	00 x 2015	1800 x 80	1800 x 800 x 2015	
Packed Dimensions	760 x 90	0 x 2075	1260 x 90	00 x 2075	1860 x 90	00 x 2075	
Weight Net / Gross	98кG/120кG	102кG/124кG	141KG/172KG	146кG/177кG	184КG/226КG	196кG/238кG	
AC Supply Voltage		220-240V / 50HZ 10AMP					
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER	
Adjustable Temperature	-2°C TO 12°C	-23°C TO 7°C	-2°C TO 12°C	-23°C TO 7°C	-2°C TO 12°C	-23°C TO 7°C	
Operating Ambient Temp			5°C TC	9 43°C			
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A	
DC Evaporator Fans			YE	S			
Evaporator Drain Pan	FIN & TUBE TYPE						
Exterior	430 GRADE STAINLESS STEEL, GALVANISED REAR/BOTTOM PANEL						
Interior	STAINLESS STEEL, ABS PLASTIC INTERIOR DOORS						
Door/Shelves**	1 DOOR / 4	4 SHELVES	2 DOOR /	8 SHELVES	3 DOOR / 1	2 SHELVES	

Suitable for kitchens that wish to maximise workspace our stainless steel counter refrigerators and freezers are a perfect option as they allow the worktop to double up as a food preparation area.

As will all our commercial series models, energy efficient DC fans (80% more energy efficient than AC) considerably reduce the amount of energy consumed reducing its impact on both the environment and your finances.

Compressor assembly can be easily accessed or removed from the machine allowing quick maintenance reducing downtime and costs.



	RTC-120MNA REFRIGERATOR	FTC-120MNA FREEZER	RTC-150MNA REFRIGERATOR	FTC-150MNA FREEZER	RTC-180MNA REFRIGERATOR	FTC-180MNA FREEZER
Part Number	97000050	97000150	970000051	970000152	970000052	970000152
Capacity	22	8L	31	3L	39	18L
Dimensions (w x d x h)	1200 x 6	00 x 800	1500 x 6	00 x 800	1800 x 6	00 x 800
Packed Dimensions	1265 x 6	80 x 790	1565 x 6	80 x 790	1865 x 6	80 x 790
AC Supply Voltage			220-240V / S	50HZ 10 AMP		
Weight	67КG/72КG	72КG/77КG	80KG/85KG	86KG/91KG	93кG/99кG	99кG/105кG
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER
Adjustable Temperature	0°C TO 12°C	-23°C TO 7°C	0°C TO 12°C	-23°C TO 7°C	0°C TO 12°C	-23°C TO 7°C
Operating Ambient Temp		5°C TO 38°C				
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A
DC Evaporator Fans		YES				
Evaporator Drain Pan	FIN & TUBE TYPE					
Exterior	STAINLESS STEEL, GALVANISED REAR/BOTTOM PANEL					
Interior	STAINLESS STEEL, ABS PLASTIC INTERIOR DOORS					
Door/Shelves**	2 DOOR /	4 SHELVES	2 DOOR /	4 SHELVES	3 DOOR /	6 SHELVES

Sushi CABINETS

With rounded glass windows and slick black exterior Hoshizaki sushi cabinets provide an eye catching point of sales display that look great as well as keeping your sushi perfect, at exactly the right temperature.

With an anti-condensation, anti-drip design, temperature controls and powerful cooling performance humidity levels are maintained at all times. These will no doubt help you make an impression with customers; keeping your sushi fresher for longer and tasting as good as it looks.

HNC-120AE-R HNC-150AE-R HNC-180AE-R

Part Number	91000057 91000050 91000					
Capacity	42L	57L	72L			
Ext. Dimensions w x d x h (mm)	1200X345X280	1500X345X280	1800X345X280			
Int. Dimensions w x d x h (mm)	845x288x157	1145x288x157	1145x288x157			
Weight Net/Gross	30кG/42кG	36KG/51KG	42KG/60KG			
AC Supply Voltage	220-240V / 50HZ / 10AMP					
Operating Ambient	5°C to 43°C					
Operating Temperature	Approx 5°C					
Refrigerant	R134A					
Pulldown Time	STAINLESS STEEL 170W					
Evaporator	430 GRADE STAINLESS STEEL, GALVANISED REAR & BOTTOM					



For our full range and more information visit **hoshizaki.com.au**

08 8268 1388 info@hoshizaki.com.au



Descriptions and specifications are subject to change at any time, without notice. Illustrations for demonstration purposes only. Elements of the pictures shown within this brochure may not be standard and could incur additional charges. All storage and production capacities are approximates only.

Copyright @ 2016 Hoshizaki Lancer Pty Ltd. All rights reserved. E&OE